



Order ID 739810
 Provider Exagen Provider MD

Specimen
 Collected 01/15/2022
 Received 01/16/2022
Test Order
 Created 01/16/2022
 Reported 01/20/2022

Patient
Sample, Susan S
 Gender - DOB Female - 01/01/1996
 Identifier Received
 Exagen ID 541163

AVISE APS Test Report

Analyte	Value	Interpretation	Reference Range
+ Anti-Cardiolipin IgM	42.1 U/mL	POSITIVE	ELISA: <10 - Negative 10-40 - Weak Positive >40 - Positive
Anti-Cardiolipin IgG	8.0 U/mL	Negative	ELISA: <10 - Negative 10-40 - Weak Positive >40 - Positive
Anti-Cardiolipin IgA	8.0 U/mL	Negative	ELISA: <14 - Negative 14-20 - Equivocal >20 - Positive
Anti-β2 Glycoprotein 1 IgM	6.0 U/mL	Negative	ELISA: <7 - Negative 7-10 - Equivocal >10 - Positive
Anti-β2 Glycoprotein 1 IgG	6.0 U/mL	Negative	ELISA: <7 - Negative 7-10 - Equivocal >10 - Positive
+ Anti-β2 Glycoprotein 1 IgA	11.0 U/mL	POSITIVE	ELISA: <7 - Negative 7-10 - Equivocal >10 - Positive
+ Anti-Phosphatidylserine/Prothrombin IgM	45.50 Units	POSITIVE	ELISA: ≤30 - Negative >30 - Positive
Anti-Phosphatidylserine/Prothrombin IgG	20.50 Units	Negative	ELISA: ≤30 - Negative >30 - Positive

Test Method Description

Results were obtained by enzyme-linked immunosorbent assay (ELISA) for the quantitative determination of anti-Phosphatidylserine/Prothrombin (PS/PT) antibodies (IgM and IgG). Antibodies against cardiolipin (IgM, IgG, IgA) and β2-glycoprotein I (IgM, IgG, IgA) were determined using Enzyme Linked Fluorescent Immunoassay.

References

- Miyakis S, et al. International consensus statement on an update of the classification criteria for definite antiphospholipid syndrome (APS). J Thromb Haemost 2006; 4: 295–306.
- Shen YM, et al. IgA antiphospholipid antibodies are an independent risk factor for thromboses, Lupus 2008; 17: 996.
- Sciascia S, et al. Clinical accuracy for diagnosis of antiphospholipid syndrome in systemic lupus erythematosus: evaluation of 23 possible combinations of antiphospholipid antibody specificities. J Thromb Haemost 2012; 10: 2512–8.



1261 Liberty Way, Vista CA 92081
 CLIA# 05D1075048
 CAP# 7201051 | NYSDOH PFI# 8369

Laboratory Directors:
 Richard Safrin, MD
 R. Harper Summers, MD

Provider Relations: 888.452.1522

AVISE and the AVISE and Exagen logos are registered trademarks of Exagen Inc. ©2022 All Rights Reserved